

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

---

1. (currently amended) A computer system having ~~an input unit for accepting a user operation to generate a predetermined event;~~ a central processing unit, and a display screen coupled to the CPO apparatus, said computer system comprising:

an input unit for generating a predetermined event;

a resolution changing unit for changing the resolution of said display apparatus in response to the predetermined input event ~~generated by said input unit;~~ and,

a window resizing unit for, in response to said predetermined event ~~generated by said input unit~~, resizing a predetermined window displayed on said display apparatus so as to be displayed over ~~almost the entire~~ a portion of the display screen after the resolution is changed by said resolution changing unit.

2. (currently amended) The computer system according to Claim 1, wherein said window resizing unit resizes a window being active ~~before the resolution is changed by said resolution changing unit.~~

3. (original) The computer system according to Claim 1, further comprising a display status restoring unit for holding a display status before the resolution is changed by said resolution changing unit and, when the resolution of said display apparatus is restored to the resolution before being changed, restoring the resolution of said display apparatus to said held display status.

4. (currently amended) A computer system comprising:  
 an input unit for accepting a predetermined input; and,  
 a display zoom factor changing unit for changing a display zoom factor by  
 changing the resolution of a display apparatus in response to a request input through said input  
~~unit~~ the predetermined input.

5. (original) The computer system according to Claim 4, wherein said input  
 unit is an electrical switch.

6. (original) The computer system according to Claim 4, wherein said input  
 unit is a key switch provided in addition to key switches of the keyboard used for common  
 inputs.

7. (original) The computer system according to Claim 4, wherein said input  
 unit is a button displayed on the display screen of said display apparatus through a graphical user  
 interface.

8. (original) The computer system according to Claim 4, wherein said input  
 unit is a voice input apparatus.

9. (original) A display control apparatus comprising:  
 an input unit for accepting a predetermined input; and,  
 a display-zoom-in unit for zooming in on a display by lowering the resolution of  
 said display apparatus in response to a request for zooming-in accepted by said input unit.

10. (original) The display control apparatus according to Claim 9, wherein said input unit presents display zoom factors provided according to the resolution of said display apparatus controlled by said display-zoom-in unit to a user and accepts a request for zooming in by a selected display zoom factor.

11. (original) The display control apparatus according to Claim 9, further comprising a display status restoring unit for holding a display status before the zooming-in by said display-zoom-in unit and, when the display-zooming-in is completed, restores said held display status.

Al  
CMT 12. (original) The display control apparatus according to Claim 9, further comprising window resizing unit for resizing a predetermined window displayed on the display screen of said display apparatus so as to match the display screen zoomed in by said display-zoom-in unit.

13. (currently amended) A display control apparatus comprising:  
an input unit for accepting a predetermined input; and,  
a display control unit for changing a display zoom factor by changing the resolution of a display apparatus in response to a display zoom factor change request accepted by said input unit, and causing a predetermined window displayed on the display screen of said display apparatus to be displayed over the entire display screen after the resolution is changed based upon the change request.

14. (original) The display control apparatus according to Claim 13, wherein said input unit is a hardware switch.

15. (original) The display control apparatus according to Claim 13, further comprising a display status restoring unit for holding a display status before a zoom-in by said display control unit, and, when the display-zoom-in is completed, restores said held display status.

al  
smt  
16. (currently amended) A display apparatus comprising: having  
an input section for inputting display image data and a predetermined command  
and a display screen for displaying a display image based on input data, wherein:  
said input section is used for inputting a request for changing a display zoom  
factor on said display screen as a command input; and,  
said display screen displays said display image by using the display a zoom factor  
responsive to said request for changing the display zoom factor.

17. (original) A display control method for controlling the display screen of a  
display apparatus, comprising the steps of:  
accepting a request for changing a display zoom factor on said display screen;  
and,

changing the resolution of said display apparatus to change the display zoom factor of said display screen to a display zoom factor responsive to said request for changing display zoom factor.

18. (original) The display control method according to Claim 17, further comprising the steps of:

before said step of changing the display zoom factor, storing a display status before the display zoom factor is changed; and,

restoring said stored display status when said display zoom factor is restored after the change of said display zoom factor.

al  
cmt  
19. (original) The display control method according to Claim 17, further comprising the step of:

after said step of changing the display zoom factor, resizing a predetermined window displayed on said display screen so as to match the display screen after the display zoom factor is changed.

20. (original) A storage medium storing a program to be executed by a computer in a form readable by the input unit of said computer, wherein said program causes said computer to perform the processes of:

accepting a request for changing a display zoom factor on said display screen;  
and,

changing the resolution of said display apparatus to change the display zoom factor of said display screen to a display zoom factor responsive to said request for changing display zoom factor.

21. (original) A program transmission apparatus comprising:

*Al  
amd*  
a storage unit for storing a program for causing a computer to perform the processes of accepting a request for changing a display zoom factor on said display screen and changing the resolution of said display apparatus to change the display zoom factor of said display screen to a display zoom factor responsive to said request for changing display zoom factor; and,

a transmission unit for reading said program from said storage unit to transmit said program.

---